

PIXEL Raised Floor Service Power Boxes

PIXEL Raised Access Flooring offers comprehensive solutions of High Tech Raised Access Flooring Systems for the construction industry. PIXEL Raised Access Flooring are manufactured according to most common international standards to meet the requirements of commercial, residential, governmental, transportation, healthcare, and educational projects. In addition to its wide array of Raised Flooring panels and variety of finishes, PIXEL provides the technical expertise via its qualified and dedicated team of engineers and industry-experts in the field. PIXEL range of products is manufactured from high quality raw material and designed to meet all International Standards.



PIXEL provides raised floor boxes for power outlets and data connections to desks and workstations within the modern office environment. Designed and manufactured according to BS EN 60670-1:2005, BS EN 60670-23:2008.

- Available as standard type or heavy duty type.
- Boxes are supplied with dividers for quick and easy configuration as 3 or 4 compartment boxes that enables connection to a range of power, voice, and data socket plates.
- The standard support plate is 3mm thick and allows high traffic volume. In the case of very heavy traffic volume, a robust steel sub-frame can be used to support the lid.
- The sub-frame doesn't restrict space for wiring and accessories. It also allows fine adjustments to be made to accommodate uneven flooring.
- PIXEL floor boxes are made from galvanized steel and is available as stainless steel finish upon request.

PIXEL - BOXES

1) PBOX 200218-2

2 compartments, 75 x 175mm
Cutout size : 182 x 200mm




Size (mm)	No of Compartments	Plug Space (mm)	Socket Space (mm)
200 x 218	2	30-80	50

PIXEL Raised Floor Service Power Boxes

2) PBOX 250250-3

3 compartments
75 x 205mm
Cutout size : 232 x232mm



Size (mm)	No of Compartments	Plug Space (mm)	Socket Space (mm)
250 x 250	3	30-80	50



3) PBOX 350223-3

3 compartments
100 x 180mm
Cutout size : 332 x 205mm

Size (mm)	No of Compartments	Plug Space (mm)	Socket Space (mm)
350 x 223	3	30-80	50




PIXEL Raised Floor Service Power Boxes

4) PBOX 350223-4

4 compartments
75 x 180mm
Cutout size : 332 x 205mm

Size (mm)	No of Compartments	Plug Space (mm)	Socket Space (mm)
350 x 223	4	30-80	50



PIXEL Perforated Panels

PIXEL Regulator for CC and CE Panels

Maximum Ventilation Rate at 38%.



Directional Regulator



Closed Regulator




Open Regulator

4) PIXEL - Grills

Type GR1:

Ventilation Rate: 88%
This Panel is suitable for Calcium Sulphate and Chipboard Panels.
Panel Size: 600 x 600mm



Type GR2:

Ventilation Rate: 75%
This Panel is suitable for Cementitious Panels.
Panel Size: 600 x 600mm

